


PRODUCT CATALOG



CONTACT US

Contact E-mail

xujanet@value-lite.com janetxjj@nbmeeko.com

Mobile


13805866112

TEL

(+86)-574-88306113



Janet Xu



COMPANY QUALIFICATION



COMPANY DESIGN



Flashlight & Work Light

More exterior designs to meet
the requirements of
different customers



Head Light & Work Light

Focusing on designing headlights
and work lights
laying a solid foundation for
future research and development



Head Light

Further research and
development of
headlights to cater to the market



Camping Lantern

Seeking breakthroughs and
developing outdoor lighting fixtures



Keychain Light & Headlight

Pursuing smaller volume
and more functionality



Headlight & Work Light

Configuration upgrade for
higher quality



Retro Lantern

Camping is popular
keeping up with the market



Head Light


More Meeko style appearance



OUR STRENGTH




**WELL ORGANIZED
FACTORY**



**STRONG R&D TEAM AND
ROBUST NPD ROADMAP**



**QUALITY
MANAGEMENT**



DESIGN

Self developed products carefully designed products,
providing customers with better service and products
•PAGE 1 - PAGE 9

01

HEADLIGHT

Suitable for outdoor use and
convenient to use
•PAGE 10 - PAGE 23

02

WORKINGLIGHT

Make work more convenient and efficient
•PAGE 24 - PAGE 37

03

FLASHLIGHT

Ultra long lighting distance and brightness,
no longer blind at night
•PAGE 38 - PAGE 57

04

LANTERN

Give the night a sense of atmosphere
•PAGE 58 - PAGE 67

05

NEW DESIGN



TOTEALLY IS READY FOR THE FUTURE



DESIGNED BY MEEKO SMART

KL000701

LED Source
SMD LED

Luemens
200lm

Battery Type
3.7V 2000mAh Li-ion Battery

Material
Plastic



KH000801

LED Source
1PC OSRAM LED

Luemens
300lm

Distance
30M

Run Time
1h

Battery Type
3.7V 500mAh Li-ion Battery

Size
40(L)x30(W)x40(H)mm

IPX4 1M SHOCKPROOF



KH001321

IPX6

LED Source
2PCS XTE LED

Luemens
600lm

Size
70(L)x70(W)x95(H)mm

Material
Plastic +TPR

Battery Type
3.7V 1400 mAh li-ion & 3*AAA Battery



KF901411

LED Source
1PC CREE LED

Luemens
45lm

Size
70(L)x70(W)x95(H)mm

Material
Plastic


Battery Type
2AA Battery



ULTHAL-THIN & BRIGHTNESS EDC

NEVER GO BACK TO THE DARKNESS
ILLUMINATING LIFE

Uni-Body & ultrathin & ultra-light Body Design
600LM \ IPX4 \ Magnet \ Clip \ Hands Free
AN EDC LIGHT \ WORKING LIGHT \ HEADLAMP \ POCKET LIGHT



Clip

Magnet

TYPE-C Input

KF901601

LED Source
CREE LED +COB

Luemens
600lm

Battery Type
3.7V 450mAh Li-ion Battery


Material
Aluminum





Double Side Flood Light

Double Side \ IPX4 \ Hands free \
Stand & Handle \ M6 Screw \ Magnet \ Battery Removable



DESIGN BY MEEKO SMART

Ultra-thin COB Floodlight

Wide Beam \ IPX4 \ Hands free \ Stand & Handle \ M6 Screw

KW001201




6M SHOCKPROOF

LED Sourec
COB LED

Luemens
3000lm

Battery Type
3.7V 5000mAh Li-ion Battery

Material
Plastic+TPR + Aluminium



DESIGN BY MEEKO SMART

MI009701

LED Sourec
88PCS LED

Luemens
75lm

Run Time
8h


Battery Type
3.7V 1500mAh Li-ion Battery

Distance
5M

Size
200.3(L)x40(W)x13.6(H)mm



Battery Removable




DESIGN BY MEEKO SMART

KH001321

LED Source
1PC CREE LED+SMD LED
Luemens
700lm
Battery Type
3.7V 1000mAh&3AAA Battery
Material
Plastic



IPX7




HYBRIDPOWER

IPX4
Voice Control



KH001424

LED Source
1PC CREE LED+SMD LED
Luemens
700lm
Battery Type
3.7V 1000mAh&3AAA Battery
Material
Plastic



Dual LED Source 230° Wide Beam Headlight



230°Wide Beam \ IPX7 \ Dual Led source \ Hands free \ Motion Sensor \ Safety
LED Source:Oaram LED +COB Max output:1000LM Battery: 3.7V 1000mAh (14500) Material:Plastic+TPR+Silicone



Sensor



230°





DESIGN BY MEEKO SMART

KL000801

LED Source
88PCS LEDLumens
75lmRun Time
8hBattery Type
3.7V 1500mAh Li-ion BatteryDistance
5MSize
200.3(L)x40(W)x13.6(H)mmModular
Camping Light

Rotating Snap-Fit for Enhanced Security


"Rotating Snap-Fit" refers to a design feature where a component can be rotated into place and securely locked, ensuring a firm and stable connection.
"Enhanced security" highlights the improved reliability and durability of the connection achieved through this design.

Modular
Camping Light

Spotlight

Dual-Mode
Battery CompatibilityLED Source
1PC CREE LED+1PC COB LEDLumens
5000lmBattery Type
3.7V 5000mAh (21700)
&3AAA BatteryMaterial
Plastic+TPR+Aluminium

HEADLIGHT



DESIGN

HEADLIGHT

WORKINGLIGHT

FLASHLIGHT

LANTERN

MEERIES

HIGH LUMEN HYBRID
POWER HEADLIGHT

SENSOR HEADLIGHT

A person wearing a headlight in a dark environment, looking upwards. The headlight is illuminated, casting a beam of light.

A collection of various colored headlight units (red, green, orange, blue, pink) arranged in a circular pattern.

A headlight unit underwater, illuminated by a bright light source, creating a large, glowing sphere of light.

A headlight unit on a rocky surface, illuminated by a bright light source, creating a large, glowing sphere of light.

A headlight unit with a battery pack, shown in a close-up view.

A headlight unit with a red and white body, shown in a close-up view.

RECHARGEABLE 1000lm



KH000401



1M SHOCKPROOF

LED Source
CREE LED + SMD LED

Luemens
1000lm

Run Time
2h

Battery Type

3.7V 2000mAh Li-ion Battery

Distance
110M

Size
80(L)x40(W)x28(H)mm



KH000512



1M SHOCKPROOF

LED Source

OSRAM P8 LED+SMD LED

Luemens
500lm

Run Time
2h

Battery Type

3AAA Battery

Distance
120M

Size
65(L)x44(W)x34(H)mm



KH000602



1M SHOCKPROOF

LED Source
OSRAM P8 LED+SMD LED

Luemens
750lm

Run Time
2.5h

Battery Type

3.7V 1500mAh Li-ion Battery

Distance
150M

Size
65(L)x44(W)x34(H)mm



KH000322



1M SHOCKPROOF

LED Source

OSRAM P8 LED+SMD LED

Luemens
500lm

Run Time
2.5h

Battery Type

3.7V 1000mAh Li-ion Battery & 3AAA Battery

Distance
120M

Size
65(L)x44(W)x34(H)mm



RECHARGEABLE 700LM HEADLIGHT

KH000101



1M SHOCKPROOF

LED Source
CREE LED + SMD LED

Luemens
700lm

Run Time
2h

Battery Type

3.7V 700mAh Li-ion Battery

Distance
150M

Size
60(L)x33(W)x40(H)mm



Charging Indicator

60°
Adjustable
Angle



TYPE-C Input



800LM HIGH LUMEN HEADLIGHT ADJUSTABLE FOCUS



HYBRID POWER HEADLIGHT


KH000201


1M SHOCKPROOF

LED Source
Seoul LED + SMD LED

Luemens
800lm

Run Time
3h

Battery Type

3AAA or 3.7V 1000mAh Li-ion Battery


Distance
200M

Size

60(L)x33(W)x40(H)mm



Hybrid Power


**60°
Adjustable
Angle**

KH000721

Hybrid Power



Warning

LED Source
COB LED + RED LED

Luemens
500lm

Run Time
2.5h

Battery Type

3AAA Battery&3.7V 1000mAh Li-ion Battery

Size

114(L)x44(W)x18(H)mm

Material

Aluminium+Plastic


MH006701

Hybrid Power



RESPONSE

LED Source
5PCS LED+2PCS SMD LED

Luemens
600lm

Run Time
3h

Battery Type

3AAA Battery&3.7V 1000mAh Li-ion Battery

Distance
85M

Size

65(L)x30(W)x40(H)mm


MH006601

Hybrid Power



RESPONSE

LED Source
3PCS LED+2PCS SMD LED

Luemens
340lm

Run Time
3h

Battery Type

3AAA Battery&3.7V 1000mAh Li-ion Battery

Distance
80M

Size

65(L)x30(W)x40(H)mm


MH007101

Hybrid Power



RESPONSE

LED Source
2PCS LED+1 PC RED SMD LED

Luemens
400lm

Run Time
3h

Battery Type


3AA Battery&3.7V 1100mAh Li-ion Battery

Distance
90M

Size

117(L)x50(W)x29(H)mm





MH022701 Hybrid Power RESPONSE

LED Source
CREE +Luminus LED 2pcs Red SMD

Battery Type
3.7V 1000mAh Li-ion Battery
or 3AAA Battery

Luemens
500lm

Run Time
2h

Material
ABS+PC

Size
60(L)x45(W)x41(H)mm



MH022801 Hybrid Power RESPONSE

LED Source
COB LED+Luminus LED

Battery Type
3.7V 1000mAh Li-ion Battery
or 3AAA Battery

Luemens
500lm

Run Time
3h

Material
ABS+PC

Size
60(L)x45(W)x46(H)mm



MH015901

LED Source
2PCS LED+RED SMD LED

Luemens
250lm

Run Time
2.5h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
50M

Size
50(L)x28(H)x30(W)mm



KH000801 IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM LED

Luemens
300lm

Run Time
1h

Battery Type
3.7V 600mAh Li-ion Battery

Distance
30M

Size
40(L)x30(W)x40(H)mm



KH000811 IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM +1PC RED SMD LED

Luemens
100lm

Run Time
1h

Battery Type
1AA Battery

Distance
160M

Size
64(L)x34(W)x40(H)mm



KH000911 IPX4 1M SHOCKPROOF

LED Source
OSRAM P8 LED+SMD LED

Luemens
200lm

Run Time
2h

Battery Type
2AAA Battery

Distance
160M

Size
64(L)x34(W)x40(H)mm



KH000901 IPX4 1M SHOCKPROOF

LED Source
3W COB LED+RED COB LED

Luemens
150lm

Run Time
1h

Battery Type
3.7V 400mAh Li-ion Battery

Distance
10M

Size
64(L)x30(W)x29(H)mm





5Lighting Modes




MH001001

RESPONSE 1M SHOCKPROOF

LED Source
5W COB LED+1PC LED
Luemens
350lm
Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery
Distance
45M
Size
260(L)X35(W)X20(W)mm



Full visual humanized design

A wave induction - side wave induction switch, in line with the outdoor work easy behavior, does not need too obvious movement.

B long range lighting - in addition to large-scale lighting, it also has long-distance lighting.

C safety lighting - outdoor work should ensure the safety of your life, illuminate yourself and the ground to avoid accidental injury.

D wide range light - 270 degrees wide range front floodlight, let your front not dead angle.



MH017701

RESPONSE

LED Source
2PCS 3W LED+SMD LED
Luemens
400lm
Run Time
3h

Battery Type
3.7V 1000mAh Li-ion Battery
Distance
40M
Size
51(L)x51(H)x30(H)mm



RESPONSE



MH017801

RESPONSE

LED Source
2PCS 3W LED+SMD LED
Luemens
700lm
Run Time
3h

Battery Type
3.7V 1000mAh Li-ion Battery
Distance
50M
Size
55(L)x52(H)x37(H)mm



RESPONSE



MH014101

RESPONSE

LED Source
2PCS 3W LED+SMD LED
Luemens
900lm
Run Time
3h

Battery Type
3.7V 1200mAh Li-ion Battery
Distance
50M
Size
55(L)x55(H)x40(H)mm



**MH020701**

IPX4 1M SHOCKPROOF

LED Source
2PCS 10W LED
Luemens
1000lm
Run Time
3h

Battery Type
3.7V 2000mAh Li-ion Battery
Distance
50M
Size
95(L)x50(W)x27(H)mm

**MH020801**

IPX4 1M SHOCKPROOF

LED Source
2PCS 10W LED
Luemens
1000lm
Run Time
3h

Battery Type
3.7V 2200mAh Li-ion Battery
Distance
50M
Size
86(L)x30(W)x30(H)mm

**MH021801**

IPX4 1M SHOCKPROOF

LED Source
1PC OSRAM LED
Luemens
900lm
Run Time
4h

Battery Type
3.7V 2200mAh Li-ion Battery
Distance
135M
Size
82(L)x44(W)x33(H)mm

**MH06001**

IPX4 1M SHOCKPROOF

LED Source
2PCS CREE LED
Luemens
1000lm
Material
Aluminium

Battery Type
3.7V 2000mAh Li-ion Battery
Size
95(L)x70(W)x50(H)mm

**MH013701**

IPX4 1M SHOCKPROOF

LED Source
CREE LED+5W COB LED
Luemens
400lm
Run Time
3h

Battery Type
3.7V 2000mAh Li-ion Battery
Distance
110M
Size
90(L)x50(W)x90(H)mm

**MH021701**

IPX6 RESPONSE

LED Source
1PC LED+1PC COB LED
Luemens
1200lm
Run Time
3h

Battery Type
3.7V 2000mAh Li-ion Battery
Distance
100M
Size
90(L)x50(W)x49(H)mm

**MH008601**

RESPONSE

LED Source
1PC OSRAM P8 LED
Luemens
550lm
Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery
Distance
40M
Size
65(L)x50(W)x40(H)mm

**MH014801**

RESPONSE

LED Source
3W LED+1W COB LED+RED SMD LED
Luemens
250lm
Run Time
6h

Battery Type
3.7V 1800mAh Li-ion Battery
Distance
90M
Size
65(L)x45(W)x40(H)mm

**MH007901**

IPX4 1M SHOCKPROOF

LED Source
1PC COB LED+3W LED
Luemens
500lm
Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery
Distance
80M
Size
70(L)x45(W)x35(H)mm


**MH008001**

IPX4 1M SHOCKPROOF

LED Source
5W COB LED
Luemens
500lm
Run Time
2h

Battery Type
3.7V 1200mAh Li-ion Battery
Distance
30M
Size
70(L)x45(W)x35(H)mm





MH021901



LED Source
3W COB LED+2PCS RED SMD LED
+2PCS BLUE SMD LED

Luemens
250lm

Run Time
3h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
20M

Size
52(L)X52(W)X30(H)mm



MH022201



LED Source
3W COB LED+2PCS RED SMD LED
+2PCS BLUE SMD LED

Luemens
250lm

Run Time
3h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
15M

Size
50(L)X50(W)X35(H)mm



MH013201



LED Source
5W LED+5W COB LED+RED COB LED

Luemens
400lm

Run Time
2.5h

Battery Type
3AAA Battery

Size
65(L)X40(W)X50(H)mm



MH013301



LED Source
2PCS LED

Luemens
400lm

Run Time
3.5h

Battery Type
3AAA Battery

Distance
80M

Size
65(L)X40(W)X50(H)mm



MH022101



LED Source
1PC LED+9PCS SMD LED+2PCS RED
SMD LED+2PCS BLUE SMD LED

Luemens
100lm

Run Time
4h

Battery Type
3.7V 500mAh Li-ion Battery

Distance
100M

Size
52(L)X52(W)X30(H)mm



MH022401



LED Source
1PC LED+6PCS SMD LED+2PCS RED
SMD LED+2PCS BLUE SMD LED

Luemens
100lm

Run Time
4h


Battery Type
3.7V 500mAh Li-ion Battery

Distance
100M

Size
50(L)X50(W)X35(H)mm



WORKINGLIGHT



WORKLIGHT
TYPE-C INPUT&OUTPU



RECHARGEABLE 850LM
WORKING LIGHT

KW000401

IPX4 1M SHOCKPROOF

LED Source
2PCS CREE LED

Luemens
850lm

Run Time
1.5h

Battery Type
3.7V 1500mAh Li-ion

Distance
135M

Size
90(L)x85(W)x37(H)mm



MW008001

LED Source
10W COB LED

Luemens
1000lm

Run Time
3h

Battery Type
3.7V 3000mAh Li-ion Battery

Distance
40M

Size
100(L)x40(W)x150(H)mm

IPX4 1M SHOCKPROOF



RECHARGEABLE 1000LM
WORKING LIGHT



180 DEGREE ROTATION

WORKLIGHT

TYPE-C INPUT&OUTPU
1000LM

KW000611

LED Source
3W COB LED+1PC purple COB LED

Luemens
300lm

Run Time
5h

Battery Type
3AAA Battery

Distance
50M

Size
125(L)x50(W)x23(H)mm

Material
Aluminium

3AAA | PURPLE COB | HANDHELD | WORKING LIGHT

MULTIFUNCTIONAL

USING DIFFERENT SCENARIOS
180 DEGREE ROTATION



IPX4



1M SHOCKPROOF



DUAL LIGHT SOURCE

WORKLIGHT

Make it easy to work in the dark

This is a multifunctional lamp which is a good partner in your work and a good helper in your daily life.

1000 LUMENS



KW000501

LED Source
2PCS COB LED+1PC LED

Luemens
1000lm

Run Time
4h

Battery Type
3.7V 4000mAh Li-ion Battery

Size
45(L)x53(W)x212(H)mm

Material
Nylon



MULTIFUNCTIONAL

USING DIFFERENT SCENARIOS





WORKINGLIGHT

MW020201

LED Source
COB LED

Luemens
500lm

Material
ABS

Battery Type
3.7V 4000mAh Li-ion Battery

Size
122(L)x99(W)x205(H)mm



·TYPE-C Input ·Magnet ·Clip ·Fan ·Rotatable

MW018201

LED Source
COB LED

Luemens
2000lm

Material
ABS

Battery Type
3.7V 4500mAh Li-ion Battery

Size
122(L)x99(W)x205(H)mm



·TYPE-C Input ·Magnet ·Clip ·Rotatable

MW030602

LED Source
20W COB LED

Luemens
1500lm

Material
Plastic+PC

Battery Type
3.7V 4000mAh Li-ion Battery

Size
234(L)x145(W)x95(H)mm



·TYPE-C Input ·USB Output ·Magnet ·Clip ·Rotatable

MW027901

LED Source
SMD LED

Luemens
2000lm

Material
ABS

Battery Type
3.7V 6000mAh Li-ion Battery

Size
210(L)x170(W)x26(H)mm

Run Time
4h



·TYPE-C Input ·USB Output ·Magnet ·Hook
·Battery Indicator ·Rotatable

MW028001

LED Source
SMD LED

Luemens
70lm

Battery Type
3.7V 3600mAh Li-ion Battery

Size
172(L)x235(W)x69(H)mm

Material
ABS + PS

Run Time
4h

·TYPE-C Input
·USB Output
·Magnet
·Hook
·Battery Indicator
·Rotatable



MW020101

LED Source
5W COB LED

Luemens
500lm

Material
Plastic+ABS+Aluminum

Battery Type
3.7V 1200mAh Li-ion

Size
90(L)x85(W)x37(H)mm



·TYPE-C Input ·Magnet ·Rotatable

MW020501

LED Source
COB LED+LED

Luemens
1000lm

Material
Plastic+TPR

Battery Type
3.7V 4400mAh Li-ion

Size
100(L)x165(W)x56(H)mm



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW030201

LED Source
10W COB LED

Luemens
1000lm

Run Time
2h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
40M

Size
100(L)x45(W)x100(H)mm

Material
Plastic+Aluminium



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator

MW030301

LED Source
28PCS SMD LED

Luemens
2000lm

Run Time
2h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
80M

Size
116(L)x116(W)x45(H)mm

Material
Plastic+Aluminium



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW000301

1M SHOCKPROOF

LED Source
10W COB LED

Luemens
500lm

Material
Plastic

Battery Type
3.7V 500mAh Li-ion Battery

Size
61(L)x33(W)x16(H)mm

Run Time
1h



MW031601

LED Source
5W COB LED+5W Warm COB LED
+Red COB LED+5W LED

Luemens
900lm

Material
Plastic+PA+Aluminum

Battery Type
3.7V 2000mAh Li-ion

Size
117(L)x51(W)x43(H)mm



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW031901

LED Source
10W COB LED+5W Warm COB LED
+Red COB LED+TPC LED

Luemens
1500lm

Battery Type
3.7V 1200mAh Li-ion

Size
112(L)x105(W)x44(H)mm

Material
Plastic+PA+Aluminum



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW031801

LED Source
20W COB LED+Red COB LED
+Blue COB LED

Luemens
2000lm

Battery Type
3.7V 4000mAh Li-ion

Size
112(L)x105(W)x44(H)mm

Material
Plastic+PA+Aluminum



·TYPE-C Input ·USB Output ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW000601

LED Source
10W COB LED+5W LED

Luemens
1000lm

Run Time
6h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
80M

Size
105(L)x85(W)x40(H)mm

Material
Plastic



·TYPE-C Input ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW001701

LED Source
2PCS COB LED

Luemens
1200lm

Run Time
2.5h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
40M

Size
106(L)x95(W)x42(H)mm

Material
Plastic



·TYPE-C Input ·Magnet ·Rotatable
·Battery Indicator ·M6 Screw

MW032001

LED Source
10W COB LED

Luemens
1000lm

Run Time
1h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
40M

Size
149(L)x106(W)x39(H)mm

Material
Aluminium+Plastic



·TYPE-C Input ·USB Output ·Magnet ·Rotatable ·Battery Indicator



MW011801

LED Source
2pcs COB LED

Luemens
350lm

Battery Type
3AAA Battery

Size
40(L)x17(W)x167(H)mm

Material
Plastic

•Hook



MW013301

LED Source
5W COB LED+1W LED

Luemens
350lm

Run Time
11h

Battery Type
3AA Battery

Distance
30M

Size
50(L)x35(W)x195(H)mm

Material
Plastic

1M SHOCKPROOF



MW013401

LED Source
5W COB LED+3W LED

Luemens
350lm

Run Time
4.5h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
30M

Size
54(L)x35(W)x166(H)mm

Material
Plastic

1M SHOCKPROOF



MW010201

LED Source
2PCS LED

Luemens
500lm

Run Time
2.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
120M

Size
195(L)x50(L)x45(W)mm

Material
Plastic+Rubber



MW030401

LED Source
1PC LED

Luemens
920lm

Run Time
2.5h

Battery Type
3.7V 2600mAh Li-ion Battery

Distance
120M

Size
60(L)x31(W)x190(h)mm

Material
ABS



MW030501

LED Source
1PC LED+COB LED+Laser

Luemens
280lm

Run Time
2.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
50M

Size
30(L)x21(W)x195(h)mm

Material
Aluminium+PC



MW007301

LED Source
1PC LED+COB LED+Laser

Luemens
280lm

Run Time
2.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
50M

Size
30(L)x21(W)x195(h)mm

Material
Aluminium+PC



•TYPE-C Input •Magnet •Clip

•TYPE-C Input •Magnet •Clip

MW015701

LED Source
5W LED+ COB LED

Luemens
420lm

Run Time
1.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
35M

Size
195(L)x56.5(W)x34.5(H)mm

Material
Plastic



MW032301

LED Source
5W COB LED+3W LED

Luemens
500lm

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
80M

Size
44(L)x53(W)x165(H)mm

Material
Plastic

•TYPE-C Input
•Magnet
•Rotatable
•Battery Indicator



MW032401

LED Source
5W COB LED+3W LED

Luemens
500lm

Run Time
5h

Battery Type
3.7V 1800mAh Li-ion Battery

Distance
40M

Size
174(L)x61(W)x38(H)mm

Material
Plastic



MW019201

LED Source
10W COB LED+3W LED

Luemens
1000lm

Run Time
4.5h

Battery Type
3.7V 4400mAh Li-ion Battery

Distance
40M

Size
210(L)x55(W)x40(H)mm

Material
Plastic



MW031301

LED Source
3W LED+5W COB LED

Luemens
300lm

Material
Plastic+TPR+Aluminum

Battery Type
3.7V 2000mAh Li-ion

Size
150(L)x38(W)x30(H)mm



MW031201

LED Source
5W COB LED+2PCS 3W LED

Luemens
300lm

Material
Plastic+TPR+Aluminum

Battery Type
3.7V 2000mAh Li-ion

Size
150(L)x48(W)x39(H)mm



MW006201

LED Source
20W LED+5W COB LED

Luemens
1300lm

Material
Plastic

Battery Type
3.7V 4400mAh Li-ion Battery

Size
145(L)x170(W)x85(H)mm

Run Time
1h



MW006701

LED Source
10W LED

Luemens
1000lm

Material
Plastic

Battery Type
3.7V 4400mAh Li-ion Battery

Size
150(L)x160(W)x80(H)mm

Run Time
6h



MW030001 Hybrid Power

LED Source
1PC OSRAM LED+SMD LED

Luemens
1000lm

Material
Plastic+PA+TPR

Battery Type
3.7V 2200mAh Li-ion Battery or 6AA Battery

Size
165(L)x170(W)x90(H)mm

Run Time
3h





WORKINGLIGHT

MW032201

LED Source
2PCS 5W COB LED

Luemens
500lm

Material
Plastic

Battery Type
3.7V 2000mAh Li-ion Battery

Size
696(L)x50(W)x50(H)mm



MW032101

LED Source
SMD LED

Luemens
1000lm


Material
Plastic+ABS

Battery Type
3.7V 4400mAh Li-ion Battery

Size
125(L)x56(W)x177(H)mm



FLASHLIGHT



KF900701

LED SOURCE
OSPAM-P8
LUEMENS
500lm
RUN TIME
1.5h
BATTERY TYPE
3.7V 350mAh Li-ion Battery
DISTANCE
100M
SIZE
64(L)x18.5(D)mm
Material
Plastic+Aluminium
IPX4 1M SHOCKPROOF



KF900801

LED SOURCE
2PCS OSRAM LED
LUEMENS
700lm
RUN TIME
1.5H
BATTERY TYPE
3.7V 500mAh Li-ion Battery
DISTANCE
90M
SIZE
60(L)x30(W)x13(H)mm
Material
Plastic+Aluminium
IPX4 1M SHOCKPROOF



KF900601

LED SOURCE
CREE LED
LUEMENS
300lm
RUN TIME
1.5h
BATTERY TYPE
3.7V 300mAh Li-ion Battery
DISTANCE
100M
SIZE
61(L)x33(W)x16(H)mm
Material
Plastic+Aluminium
IPX4 1M SHOCKPROOF






SPORT LIGHT



SAFETY LIGHT



KF901001

LED SOURCE
3SMD LED+3RED SMD LED

LUEMENS
30lm

RUN TIME
4h

BATTERY TYPE
3.7V 200mAh Li-ion Battery

DISTANCE
20M

SIZE
135(L)x45(W)x16(H)mm

IPX4 1M SHOCKPROOF



KF900301

LED SOURCE
RGBW LED

LUEMENS
4lm

RUN TIME
20h

BATTERY TYPE
3.7V 200mAh Li-ion Battery

DISTANCE
100M

SIZE
40(L)x40(W)x17+14+17(H)mm

Material
Plastic

IPX4 1M SHOCKPROOF



SPORTS WARNING LIGHT

KF900401

LED SOURCE
4 PCS WHITE LED+2PCS RED LED

LUEMENS
25lm

RUN TIME
1.5h

BATTERY TYPE
2PCS CR2032 Battery

DISTANCE
15M

SIZE
49.5(L)x46(W)x21.5(H)mm


Material
Plastic

IPX4 1M SHOCKPROOF




Eco-friendly packaging

4PCS MAGNETS



LINE DRAWING



NITRO SERIES

NEVER GO BACK TO THE DARKNESS

ILLUMINATING LIFE

Brightness & Muliti-funcitonal & Compact & Ropular


Perfect for pocket carry.

1200LM \ IPX4\ 1M Drop \ TYPE-C\ LCD Display

AN EDC LIGHT\ WORKING LIGHT\ HEADLAMP \ POCKET LIGHT



EXPLODED VIEW



KF000201

IPX4

1M SHOCKPROOF

LED Source
2PCS CREE LED

Luemens
1200lm

Battery Type
3.7V 1500mAh Li-ion Battery

Size
118(L)X31(W)X18(H)mm

Material
Plastic+Aluminium



PEN-SIZED FLASHLIGHT



IPX4



1M SHOCKPROOF

9M Anti-Drop Flashlight

KF000601

LED SOURCE
1PC LED

LUEMENS
150lm

RUN TIME
1h

BATTERY TYPE
2AAA Battery

DISTANCE
50M

SIZE
140(L)x15(D)mm

Material
Aluminium



KF000701

LED SOURCE
1PC LED

LUEMENS
120lm

RUN TIME
1h

BATTERY TYPE
2AAA Battery

DISTANCE
50M

SIZE
129.5(L)x15(D)mm

Material
Aluminium



KF900121

LED SOURCE
1PC OSRAM LED+2PCS SMD LED

LUEMENS
700lm

RUN TIME
5h

BATTERY TYPE
3.7V 2000mAh Li-ion Battery&4AAA Battery

DISTANCE
100M

SIZE
162(L)x48(D)x39(d)mm

Material
Nylon



9M SHOCKPROOF



KF900221

LED SOURCE
3PCS OSRAM LED

LUEMENS
1200lm

RUN TIME
8h

BATTERY TYPE
3.7V 4000mAh Li-ion Battery&6AA Battery

DISTANCE
200M

SIZE
229(L)x60(D)x48.5(d)mm

Material
Nylon



9M SHOCKPROOF



KF904121

LED SOURCE
1PC OSRAM LED+2PCS SMD LED

LUEMENS
700lm


RUN TIME
5h

BATTERY TYPE
3.7V 2000mAh Li-ion Battery&4AAA Battery

DISTANCE
100M

SIZE
181(L)x46(D)x34(d)mm

Material
Aluminium



3M SHOCKPROOF



KF004221

LED SOURCE
3PCS OSRAM LED

LUEMENS
1200lm


RUN TIME
8h

BATTERY TYPE
3.7V 4000mAh Li-ion Battery&6AA Battery

DISTANCE
200M

SIZE
229(L)x60(D)x48.5(d)mm

Material
Aluminium



3M SHOCKPROOF



MEEKO DESIGN DRY BATTERY FLASHLIGHT

KF003211

LED Source
COB LED


Luemens
2000 lm

Battery Type
6AA Battery

SIZE
48(D)x200(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF003011

LED Source
CREE LED

Luemens
800lm

Battery Type
4AAA Battery

SIZE
38(D)x128(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF002811

LED Source
P8 LED

Luemens
400lm

Battery Type
3AAA Battery

SIZE
33(D)x127(H)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF003111

LED Source
CREE LED

Luemens
1200lm

Battery Type
4AA Battery

SIZE
44(D)x172(H)mm

Material
Aluminium


IPX4 1M SHOCKPROOF



Flood



Spot



KF005421

Hybrid Power Flashlight

LED SOURCE
1PC COB LED

LUEMENS
2500lm

BATTERY TYPE
3.7V 2500mAh Li-ion Battery&4AAA Battery

SIZE
180(L)x45(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF005521

Hybrid Power Flashlight

LED SOURCE
1PC COB LED

LUEMENS
3000lm

BATTERY TYPE
3.7V 4000mAh Li-ion Battery&6AA Battery

SIZE
223(L)x52(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF004501

TYPE-C Input

LED SOURCE
CREE LED

LUEMENS
650lm

BATTERY TYPE
3.7V 2200mAh Li-ion Battery

SIZE
157(L)x37(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF004601

TYPE-C Input

LED SOURCE
CREE LED

LUEMENS
900lm

BATTERY TYPE
3.7V 4000mAh Li-ion Battery

SIZE
165(L)x41(D)mm

Material
Aluminium

IPX4 1M SHOCKPROOF



KF004811

LED SOURCE
CREE LED

LUEMENS
150lm

BATTERY TYPE
AA Battery

SIZE
76(L)x34(D)mm

Material
Aluminium



KF001601

LED SOURCE
CREE LED

LUEMENS
500lm

RUN TIME
5h

BATTERY TYPE
3AAA Battery

DISTANCE
150M

SIZE
146mm



KF001701

LED SOURCE
CREE LED

LUEMENS
500lm

RUN TIME
5h

BATTERY TYPE
2AA Battery

DISTANCE
100M

SIZE
163.5mm



KF001801

LED SOURCE
CREE LED

LUEMENS
500lm

RUN TIME
8h

BATTERY TYPE
3.7V 2600mAh Li-ion Battery

DISTANCE
600M

SIZE
165.5mm



KF000401

LED SOURCE
CREE LED

LUEMENS
1800lm

RUN TIME
5h

BATTERY TYPE
3.7V 4000mAh Li-ion Battery

DISTANCE
700M

SIZE
168.5mm




Adjustable Convex Lens

Bulls-eye Spot Beam&Ultra View Flood Beam

Rubber Non-slip Grip Design For Manipulating Ease And Comfort G

Aluminum Lamp Body Provides Excellent Fall Crush,And Impact Res



KF004701

LED SOURCE
7PCS LED + 1PC COB LED

LUEMENS
4000lm

BATTERY TYPE
3.7V 4000mAh Li-ion Battery

SIZE
153(L)x54(D)mm


Material
Aluminium



Flood



Spot



MF002501

LED SOURCE
CREE LED

LUEMENS
2000lm

RUN TIME
2h

BATTERY TYPE
7.4V 5000mAh Li-ion Battery

SIZE
30(D)x25(d)x145(H)mm

Material
Aluminium



MF012101

LED SOURCE
CREE LED

LUEMENS
600lm

RUN TIME
6h

BATTERY TYPE
7.4V 2600mAh Li-ion Battery

SIZE
40(D)x27(d)x157.5(H)mm

Material
Aluminium



MF015001

LED Source
China P50

Luemens
2000 lm

Run Time
2H

Battery Type
7.4V 2000mAh Li-ion Battery

Distance
100M

Material
Aluminium



MF015101

LED Source
COB-50W

Luemens
5000 lm

Run Time
1.2h

Battery Type
7.4V 2500mAh Li-ion Battery

Distance
100M

Size
54(D)x30(d)x265.5(H)mm

Material
Aluminium

5000lm



MF010601

LED SOURCE
LED

LUEMENS
1000lm

RUN TIME
1h

BATTERY TYPE
3.7V 2200mAh Li-ion Battery

SIZE
36.5(D)x29.5(d)x160(H)mm

Material
Aluminium



MF010701

LED SOURCE
CREE LED

LUEMENS
2000lm

RUN TIME
2h

BATTERY TYPE
3.7V 4400mAh Li-ion Battery

SIZE
51(D)x36.5(d)x165(H)mm

Material
Aluminium



MF016601

LED Source
COB-80W

Luemens
8000 lm

Run Time
1h

Battery Type
7.4V 2600mAh Li-ion Battery

Distance
100M

Size
54(D)x30(d)x265.5(H)mm

Material
Aluminium

8000lm



MF015201

LED Source
COB-100W

Luemens
10000 lm

Run Time
2.5h

Battery Type
7.4V 4000mAh Li-ion Battery

Distance
100M

Size
58(D)x33(d)x267(H)mm

Material
Aluminium

10000lm



MF010801

LED SOURCE
CREE LED

LUEMENS
3000lm

RUN TIME
3.5h

BATTERY TYPE
3.7V 8800mAh Li-ion Battery

SIZE
51(D)x36.5(d)x235(H)mm


Material
Aluminium



Flood



Spot



MF015301

LED Source
COB-150W

Luemens
15000 lm

Run Time
2h

Battery Type
7.4V 5000mAh Li-ion Battery

Distance
100M

Size
58(D)x33(d)x267(H)mm

Material
Aluminium


15000lm



Flood



Spot





MF008201

LED Source
CREE LED

Luemens
450 lm

Battery Type
3.7V 750mAh Li-ion Battery

SIZE
148(L)x21(D)x18(d)mm

Material
Aluminium



MF008301

LED Source
20W LED

Luemens
2000 lm

Battery Type
3.7V 2000mAh Li-ion Battery

SIZE
166(L)x36(D)x28(d)mm

Material
Aluminium



MF004401

LED SOURCE
5W LED

LUEMENS
350lm

RUN TIME
3.5h

BATTERY TYPE
3.7V 650mAh Li-ion Battery

DISTANCE
160M

SIZE
90(L)x20(D)mm

Material
Aluminium



MF004501

LED SOURCE
20W LED

LUEMENS
1600lm

RUN TIME
1h

BATTERY TYPE
3.7V 2000mAh Li-ion Battery

DISTANCE
200M

SIZE
150(L)x35(W)x25(H)mm

Material
Aluminium



MF004601

LED SOURCE
30W LED

LUEMENS
3000lm

RUN TIME
2.5h

BATTERY TYPE
3.7V 4500mAh Li-ion Battery

DISTANCE
260M

SIZE
175(L)x45(W)x35(H)mm

Material
Aluminium



MF008401

LED Source
20W LED+8W COB LED+RED COB LED

Luemens
2000 lm

Battery Type
3.7V 2000mAh Li-ion Battery

SIZE
182(L)x45(D)x40(d)mm

Material
Aluminium



MF003301

LED Source
2PCS OSRAM P8 LED+5W COB LED+RED COB LED

Luemens
950 lm

Run Time
2.5h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
200M

Size
125(L)x50(W)x21(H)mm

Material
Aluminium



MF004201

LED Source
1PC OSRAM LED+5W COB LED+RED COB LED

Luemens
600 lm

Run Time
2h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
170M

Size
125(L)x25(W)x25(H)mm

Material
Aluminium



MF024601

LED Source
1PC LED+12PCS SMD LED

Luemens
1200 lm

Run Time
1.5h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
600M

Size
47(D)x38(d)x174(h)mm

Material
Aluminium



MF017601

LED Source
3PCS LED

Luemens
2500 lm

Battery Type
3.7V 2600mAh Li-ion Battery

Size
27(d)x36(D)x150(L)mm

Material
Aluminium





MF022701

LED Source
6PCS LED + COB

Luemens
4000 lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
153(L)x54(W)x32(H)mm

Material
Aluminium



MF025301

LED Source
6PCS CREE LED + 1PC LED+COB LED

Luemens
1000 lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
153(L)x54(W)x32(H)mm

Material
Aluminium



MF025701

LED Source
1PC LED

Luemens
300 lm

Run Time
3h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
100M

Size
26(D)x127(h)mm

Material
Aluminium



MF024601

LED Source
CREE LED

Luemens
600 lm

Battery Type
3.7V 2200mAh Li-ion Battery

Size
34(L)x30(W)x173(H)mm

Material
Aluminium



MF004001

LED Source
1PC White Laser LED+5W COB LED

Luemens
1000 lm

Run Time
3h

Battery Type
3.7V 2200mAh Li-ion Battery

Distance
600M

Size
175(L)x40(W)x25(H)mm

Material
Aluminium



MF003901

LED Source
1PC White Laser LED

Luemens
1000 lm

Run Time
2h

Battery Type
3.7V 4000mAh Li-ion Battery

Distance
800M

Size
195(L)x50(W)x35(H)mm

Material
Aluminium



White laser flashlight

MF024901

White laser flashlight

LED Source
10W LED

Luemens
650 lm

Run Time
4h

Battery Type
3.7V 3000mAh Li-ion Battery (26650)
or 3AAA Battery

Distance
420M

Size
42(D)x33(d)x165(H)mm

Material
Aluminium



MF024801

White laser flashlight
LCD DISPLAY

LED Source
10W LED

Luemens
700 lm

Run Time
4h

Battery Type
3.7V 3000mAh Li-ion Battery (26650)
or 3AAA Battery

Distance
450M

Size
50(D)x32(d)x175(H)mm

Material
Aluminium





MF911401

LED Source
2PCS LED

Luemens
300 lm

Run Time
1.5h

Battery Type
3.7V 350mAh Li-ion Battery

Distance
35M

Size
67(L)x30(W)x17(H)mm

Material
Aluminium+ABS



MF019201

LED Source
3PCS LED

Luemens
800 lm

Battery Type
3.7V 900mAh Li-ion Battery

Size
75(L)x25(D)x25(d)mm

Material
Aluminium



MF015801

LED Source
3PCS LED

Luemens
400 lm

Battery Type
3.7V 1200mAh Li-ion Battery

Size
29(L)x27(W)x80(H)mm

Material
Aluminium



MF017101

LED SOURCE
5W LED

LUEMENS
350lm

RUN TIME
2.5h

BATTERY TYPE
3.7V 1500mAh Li-ion Battery

SIZE
32(D)x25(d)x125(H)mm

Material
Aluminium



MF023101

LED Source
Osram P8 LED

Luemens
400 lm

Run Time
3h

Battery Type
3.7V 1500mAh Li-ion Battery

Distance
150M

Size
30(D)x25(d)x130(H)mm

Material
Aluminium



MF019301

LED Source
7PCS LED

Luemens
2000 lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
133(L)x40.5(D)mm

Material
Aluminium



KF005111

LED SOURCE
1PC LED

LUEMENS
80lm

BATTERY TYPE
1AAA Battery

SIZE
100(L)x20(D)x15(d)mm

Material
Aluminium



KF005211

LED SOURCE
1PC OSRAM P8 LED

LUEMENS
150lm

BATTERY TYPE
2AAA Battery

SIZE
150(L)x20(D)x15(d)mm

Material
Aluminium



KF005301

LED SOURCE
1PC OSRAM P8 LED

LUEMENS
400lm

BATTERY TYPE
3.7V 700mAh Li-ion Battery

SIZE
150(L)x20(D)x15(d)mm

Material
Aluminium



MF018901

LED SOURCE
1PC UV LED

LUEMENS
370nm-375nm

RUN TIME
1h

BATTERY TYPE
2AAA Battery

DISTANCE
35M

SIZE
150(L)x20(D)x15(d)mm

Material
Aluminium



LANTERN





KL000211

LED Source
1PC SMD LED + 1PC Red SMD LED

Luemens
100lm

Material
Plastic

Battery Type
3AAA Battery

Size
49(H)x68(D)mm



ML007601

LED Source
XTE+ SMD LED +10M RGB LIGHTS STRING

Luemens
250lm

Battery Type
3.7V 2000mAh Li-ion Battery

Size
108(D)x37(H)mm

Run Time
3h

Material
ABS + PC



ML020001

LED Source
65PCS SMD LED+XTE LED

Luemens
220lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
128(L)x121(W)x86(H)mm

Material
ABS



ML019201

LED Source
RGB LED+SMD LED+LED

Luemens
220lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
105(D)x230(H)mm

Material
PC+ABS



ML001101

LED Source
3PCS COB LED+9PCS SMD LED

Luemens
200lm

Run Time
3.5h

Battery Type
3.7V 3000mAh Li-ion Battery

Distance
10M

Size
180(L)x110(W)x110(H)mm



ML012501

LED Source
SMD LED+WARM SMD LED+CREE LED

Luemens
280lm

Run Time
3h

Battery Type
3.7V 1800mAh Li-ion Battery

Distance
30M

Size
90(W)x120(H)mm



ML025201

LED Source
3W LED+SMD LED

Luemens
200lm

Battery Type
3.7V 1200mAh Li-ion Battery

Size
48(L)x48(W)x173(H)mm

Material
Plastic



ML025301

LED Source
3W LED+SMD LED

Luemens
300lm

Battery Type
3.7V 2000mAh Li-ion Battery

Size
70(L)x70(W)x120(H)mm

Material
Plastic



ML026001

LED Source
3W LED+ 40PCS SMD

Luemens
300lm

Run Time
5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
10M

Size
39(L)x39(W)x190(H)mm



ML010501

LED Source
5W LED+60PCS SMD LED+60PCS
WARM SMD LED+32PCS RED SMD LED

Luemens
900lm

Run Time
2.5h

Battery Type
3.7V 4400mAh Li-ion Battery

Distance
30M

Size
210(L)x60(W)x60(H)mm



ML005501

LED Source
1W COB LED

Luemens
120lm

Battery Type
3.7V 800mAh Li-ion Battery

Size
95(L)x35(D)mm

Material
Plastic



ML001401

LED Source
3W COB LED+WARM COB LED+3W LED

Luemens
230lm

Battery Type
3.7V 1500mAh Li-ion Battery

Size
115(L)x61(D)x57(d)mm

Material
Plastic



ML001601

LED Source
6PCS Warm SMD LED+6PCS SMD LED

Luemens
350lm

Run Time
4.5h

Battery Type
3.7V 2000mAh Li-ion Battery

Distance
30M

Size
105(L)x105(W)x117(H)mm



ML028301

LED Source
1W LED+8PCS White SMD LED
+4PCS Warm SMD LED

Luemens
80lm

Battery Type
3AAA Battery

Size
160(L)x45(D)mm

Material
Plastic



ML018801

LED Source
3W COB LED

Luemens
400lm

Run Time
3h

Battery Type
3AA Battery

Distance
40M

Size
130(L)x85(D)mm



ML018101

LED Source
3W COB LED+9PCS SMD LED

Luemens
200lm

Run Time
1.5h

Battery Type
3.7V 1200mAh Li-ion Battery

Distance
15M

Size
120(L)x100(W)x100(H)mm



ML026301

LED Source
18PCS LED

Luemens
280lm

Run Time
10h

Battery Type
3.7V 4000mAh Li-ion Battery

Size
240(L)x118(W)x52(H)mm



ML002201

LED Source
2PCS COB LED

Luemens
400lm

Battery Type
3.7V 1200mAh Li-ion Battery

Size
140(L)x85(W)x85(H)mm

Material
Plastic



ML019101

LED Source
COB LED

Luemens
3000lm

Battery Type
3.7V 4000mAh Li-ion Battery

Size
108(L)x108(W)x228.6(H)mm

Material
Plastic



OUTDOOR AMBIENT CAMP LIGHT

Infinitely dimmable
Solar charging
Type-C Charging
Tricolour light source



ML000501

LED Source
88PCS WARM SMD+10PCS SMD LED
Luemens
100lm
Run Time
1.5h
Battery Type
3.7V 1200mAh Li-ion Battery
Distance
15M
Size
110(L)x110(L)x150(H)mm



ML000401

LED Source
18PCS WARM SMD+10PCS SMD LED
Luemens
100lm
Run Time
1.5h
Battery Type
3.7V 1200mAh Li-ion Battery
Distance
15M
Size
110(L)x110(L)x140(H)mm



ML003501

LED Source
3PCS COB LED
Luemens
200lm
Run Time
3.5h
Battery Type
3.7V 1200mAh Li-ion Battery
Distance
10M
Size
175(L)x105(W)x105(H)mm



ML018401

LED Source
SMD LED+WARM SMD LED+RED SMD LED
Luemens
1000lm
Run Time

Battery Type
3.7V 4400mAh Li-ion Battery
Distance
30M
Size
195(L)x105(W)x105(H)mm



USB output
Emergency power bank

ML028101

LED Source
1PC COB LED+1PC LED
Luemens
1000lm
Run Time
4h
Battery Type
3.7V 4000mAh Li-ion Battery
Distance
200M
Size
48(D)x203(H)mm



ML002601

LED Source
3PCS COB LED
Luemens
200lm
Run Time
2h
Battery Type
3.7V 2000mAh Li-ion Battery
Distance
10M
Size
100(L)x100(W)x175(H)mm



1M SHOCKPROOF



ML028101

LED Source
1PC COB LED+1PC LED
Luemens
1000lm
Run Time
4h

Battery Type
3.7V 4000mAh Li-ion Battery
Distance
200M
Size
48(D)x203(H)mm



ML028601

LED Source
1PC COB LED
Luemens
2000lm
Run Time
2.5h

Battery Type
3.7V 6000mAh Li-ion Battery
Size
137(D)x96(d)x686(H)-2500(H)mm
Material
Plastic+Aluminium



ML028501

LED Source
SMD LED+5W LED
Luemens
4000lm
Material
Plastic+PC+Aluminium

Battery Type
3.7V 9000mAh Li-ion Battery
Size
98(L)x98(W)x218(H)mm
Run Time
2h



ML028701

LED Source
150PCS SMD LED
Luemens
600lm

Battery Type
3.7V 3600mAh Li-ion Battery
Material
Plastic+Aluminium



ML028801

LED Source
1PC COB LED+RGB LED
Luemens
1000lm
Material
Plastic+PC+Aluminium

Battery Type
3.7V 6000mAh Li-ion Battery
Size
70(D)x308(H)-1135(H)mm
Run Time
5h

